

MARTOR®

MARTOR®

Solingen

The MARTOR Blade Range



Phone +49 212 25805-0



Fax +49 212 25805-55



info@martor.de



www.martor.com



Listing of Contents

Page

This is how MARTOR-Blades are made...	4
Blade-Index	5
Contents in numerical order	6 – 7
MARTOR Blade Range	8 – 43
Blade – Knife cross reference	44 – 47

MARTOR® The Safer Cutting Specialists

Sichere Schneidgeräte erfordern Qualitäts-Klingen

Mit diesem Spezialkatalog präsentiert Ihnen MARTOR – einer der führenden Hersteller von sicheren Schneidwerkzeugen für die Industrie – eine umfangreiche Auswahl an Klingen.

Für jede Arbeit die richtige Klinge

Die Klingen eignen sich für den Einsatz in Maschinen, zum Entgraten von Kunststoffen, zum Schneiden von Papier, Folie, Gummi und vieles mehr.

Wir helfen Ihnen bei der Suche nach dem richtigen Produkt!

Unser umfangreiches Produktprogramm an Messern und Klingen präsentieren wir Ihnen in unseren 4 Spezialkatalogen:

- Sicherheitsmesser zur Unfallverhütung
- Spezialmesser zum Entgraten
- Klingenprogramm
- Messer für Ihren Werbeaufdruck

und auf unserer Homepage unter **www.martor.de**

Besuchen Sie unsere Homepage! Bei der Auswahl der geeigneten Produkte unterstützt Sie unser Produktfinder, der Sie nach wenigen Klicks treffsicher zum Ergebnis führt:

PRODUCT FINDER

What is it that you are looking for?

Follow the easy step-by-step process and we will recommend the most appropriate Martor product based on your needs.

Cutter



Blade


This is how MARTOR-Blades are made...

1




Punched and perforated

2



Hardened at approx. 900°C

3



Ice-hardened at 78°C below zero

4



Annealed and tempered at approx. 150 – 200°C

5




Hardness check

6



Ground

Blade-Index

	Page		Page
TiN-coated Blades	8 – 9		26
Safety Blades (points dull or blunt-ended)	10		27
	11 – 13		28
Hook Blades	14		29
	15		30 – 31
	16		32 – 33
	17		33
	18 – 20		34
	21		35
	22 – 23		36 – 39
	24		40 – 42
	24		43
	25		44 – 47

Listing of Contents

in numerical order

Art.-No.	Page	Art.-No.	Page	Art.-No.	Page
10	22	71	24	160	35
11	22	72	26	161	35
12	22	73	26	165	18, 40
13	22	76	24	170	10, 30
14	22	77	24	171	10, 30
15	22	78	11	179	24, 42
16	22	79	24	180	18, 41
17	22	80	37	189	20, 41
18	22, 42	81	20	196	17, 42
19	22	82	13, 42	199	11, 41
20	22, 42	83	31	284	31
21	22	84	31	291	37
22	23	86	24	601	30
23	23	87	24	602	30
24	23	88	11	604	30
25	23	89	20	605	31
26	27	90	32	606	10, 31
27	27	91	37	607	11
28	27	95	37	608	12
29	27	96	17	609	11
30	27	97	36	610	11, 40
31	27	98	14	611	12
32	38	99	11	612	12
33	26	101	32	614	12
34	31	102	32	615	28
36	23	103	32	616	26
38	39	104	32	618	28
39	39	105	32	619	28
40	38	106	32	622	28
41	11	107	32	623	28
43	26	108	32	624	28
44	16, 17	111	32	625	28
45	36	112	32	626	28
46	36	113	32	628	28
48	18	114	33	629	10, 31
49	16	115	33	629	31
50	11	119	33	635	29
51	12	125	23	636	29
52	11	125	42	637	29
53	13	142	13	638	29
54	12	142	42	639	29
55	14	144	16, 17, 40	640	29
56	14	145	36, 40	641	29
57	14	149	16, 40	642	29
58	14	150	35	643	37
60	14	151	35	670	25
61	12	152	35	671	25
62	33	153	35	672	25
63	14	154	35	673	25
65	18	155	35	674	31, 42
66	36	156	35	675	39
67	20	157	35	676	39
70	36	158	35	677	25

Listing of Contents

in numerical order





Art.-No.	Page	Art.-No.	Page	Art.-No.	Page
678	25	796	30	47020	17
679	25	797	30	47040	17
680	25	798	30	54045	12
681	25	799	30	54065	12
682	25	827	9, 27	58050	14
683	25	834	9, 31	58065	14
684	37	852	8, 11, 40	60044	10, 16, 17
689	20, 41	869	8, 18	61329	12
692	37	878	8, 11	64044	21
693	38	889	9, 20, 41	64060	21
696	17, 42	900	35	64080	21
697	28	1025	23	64100	21
698	28	1031	22	64120	21
699	28	1044	16, 17	64150	21
702	36	1103	32, 42	65232	10, 11
702	40	1703	36, 40	68010	20
704	37, 41	1709	18, 40	68020	20
709	18	2733	27	69040	10, 18
710	18	5132	12	69200	18
711	18	5232	11	83515	8, 19, 41
712	18	5233	11	83615	8, 19, 41
716	15, 42	5634	10, 14	83630	8, 19, 41
725	15	6132	12	83715	8, 19, 41
726	36, 40	6604	30	83730	8, 19, 41
727	15, 42	7940	24, 38	85233	8, 11
736	38	8432	31	88720	43
740	34	8605	9, 31	88721	43
743	16	8606	9, 10, 31	88722	43
746	38	8629	9, 10, 31	88723	43
752	13	8784	9, 38	88724	43
753	38	8852	8, 11	88725	43
754	37	13510	17, 19, 41	88740	40, 43
756	30	13610	19, 41	88741	40, 43
760	36	13615	19, 41		
761	36	13630	19, 41		
763	34	13730	19, 41		
767	34	16412	21, 41		
768	34	17940	24, 38, 42		
769	34	35010	17, 19		
770	38	35020	19		
771	38	35030	19		
772	18	36010	19		
773	34	36013	19		
774	34	36015	19		
776	24	36020	19		
777	34	36030	19		
779	24	36040	19		
784	38	37010	19		
789	18, 40	37020	17, 19		
791	30	37030	19		
793	38	37040	19		
794	37	42045	13		
795	30	42063	13		

TiN-coated Blades

"TiN"-coated Blade edges are produced by way of the Physical Vapour Deposition Process (PVD) designed to provide cutter blades with such advantages as:

- **INCREASED** tool life
- **INCREASED** cutting speed rates
- **SUBSTANTIAL** Cost Savings.

The use of Platinum "TiN"-coated MARTOR Blades has proved to result in considerable productivity upgradings along with drastic savings in production costs due to reduced machine downtimes.

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
ALLFIT trapezoid blade, TiN		0.63	alloyed carbon steel, TiN-coated	8852
		0.63	stainless, TiN-coated	852
		0.63	single bevel edge-ground, alloyed carbon steel, TiN-coated	85233
CELLO- Blade, TiN		0.40	alloyed carbon steel, TiN-coated	869
FIX- Blade, TiN		0.45	alloyed carbon steel, TiN-coated	878
Industrial cutter blade, Gillette-slotted, TiN		0.15	stainless, TiN-coated	83515
Industrial cutter blade with round ends, TiN		0.15	stainless, TiN-coated	83615
		0.30	stainless, TiN-coated	83630
Industrial cutter blade with square ends, TiN		0.15	stainless, TiN-coated	83715
		0.30	stainless, TiN-coated	83730
INJEKTOR- Blade, TiN		0.25	stainless, TiN-coated	889

All dimensions are approximate data!





* Material Thickness

TiN-coated Blades






Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
MINI-Blade, TiN		0.63	alloyed carbon steel, TiN-coated	827
RASTER-Blade, TiN		0.63	alloyed carbon steel, TiN-coated	8784
SIMPEL-Blade, TiN		0.50	alloyed carbon steel, TiN-coated	834
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8629
SIMPLEX-Blade, TiN		0.50	alloyed carbon steel, TiN-coated	8605
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8606

Safety Blades (points dull or blunt-ended)

These blades provide for greater safety in that their points feature dull or blunt-ended tips. Designed to minimize stab wounds.

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.-No.
ALLFIT hook blade		0.63	blunt-ended	5634 (56T)
ALLFIT trapezoid blade		0.63	deep-edged with dull tips	65232
ARGENTAX-Blade		0.30	with dull tips	60044
CELLO-Blade		0.40	with dull tips	69040
CERAMIC-Blade		1.70	Ceramic, semi-curved blade	170
		1.70	Ceramic, concave-edged blade	171
SIMPEL-Blade		0.50	with dull tip	629
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8629
SIMPLEX-Blade		0.50	with dull tip	606
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8606











Trapezoid Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
ALLFIT trapezoid blade		0.30		50
		0.63		52
		0.63	alloyed carbon steel, TiN-coated	8852
		0.63	stainless	610
		0.63	stainless, TiN-coated	852
		0.63	single bevel edge-ground,  alloyed carbon steel	5233 (52E)
		0.63	single bevel edge-ground,  alloyed carbon steel, TiN-coated	85233
		0.63	deep-edged	5232 (52BR)
		0.63	deep-edged with dull tips	65232
FIX- Blade		0.45		78
		0.45	alloyed carbon steel, TiN-coated	878
LEWIS- Blade		0.63		41
MAXISAFE trapezoid blade		0.63	deep-edged	99
		0.63	deep-edged, stainless	199
MEGASAFE trapezoid blade		0.30		609
SOLO- Blade		0.63		607

All dimensions are approximate data!

* Material Thickness




Trapezoid Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
STANDARD trapezoid blade		0.63		51
		0.63	deep-edged	5132 (51BR)
STRIPEX- Blade		0.20		611
STUDIO- Blade		0.50		608
Super-trapezoid- blade		0.63		61
		0.63	deep-edged	6132
		0.90	deep-edged	61329
TEKLI super-trapezoid blade		0.63	carbon steel	54 (S)
TEKLI trapezoid blade		0.45	carbon steel	54045
		0.63	carbon steel	54065
TEPPIX- Blade		0.50		612
		0.63	single bevel edge-ground 	614

All dimensions are approximate data!

* Material Thickness





Trapezoid Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
TEXTIL- Blade		0.40	stainless	82
Trapezoid Blade		0.65	triple edged ground	752
UNI- Blade		0.45	deep-edged	42045
		0.63	deep-edged	42063
		0.45	deep-edged, stainless	142
WOLFRAM trapezoid blade		0.63	Tungsten alloyed blade	53



All dimensions are approximate data!

* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
ALLFIT hook blade		0.63		56
		0.63	blunt-ended	5634 (56T)
LUNA-Blade		0.63		60
MAXISAFE hook blade		0.63		98
STANDARD hook blade		0.63		55
Super-hook blade		0.63		63
TEKLI hook blade		0.50	carbon steel	58050
		0.63	carbon steel	58065
TEKLI- super hook blade		0.63	carbon steel	58 (S)
WOLFRAM- hook blade		0.63	Tungsten alloyed blade	57


All dimensions are approximate data!

* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Rotary Blade		0.30	stainless, single bevel edge-ground,  center hole dia 6 mm	716
		0.60	alloyed carbon steel, center hole dia 6 mm (designed for use in original MARTOR cutters only!)	725
		0.30	stainless, center hole dia 6 mm (designed for use in original MARTOR cutters only!)	727







All dimensions are approximate data!



* Material Thickness

Single Edge Razor Blades










Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
ARGENTAX- Blade		0.25		1044
		0.25	stainless	144
		0.30		44
		0.30	with dull tips	60044
EFFILIER- Blade		0.25		49
		0.25	stainless	149
Single Edge Razor Blade		0.30		743



All dimensions are approximate data!








* Material Thickness

Scraper Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
ARGENTAX- Blade		0.25		1044
		0.25	stainless	144
		0.30		44
		0.30	with dull tips	60044
Industrial cutter blade, Gillette-slotted		0.10		35010
		0.10	stainless, Teflon®-coated, with platinumized cutter edges	13510
Industrial cutter blade with square ends		0.20		37020
MARTELL- Blade		0.20		47020
		0.40	deep-edged	47040 (47BR)
SCHABER- Blade		0.40		96
		0.40	scraper blade, stainless	196
		0.50	scraper blade, stainless	696

All dimensions are approximate data!





* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
AUTOSTROP- Blade		0.30	without edge protector	65
		0.25	without edge protector, stainless	165
CELLO- Blade		0.20		69200
		0.40	alloyed carbon steel, TiN-coated	869
		0.40	with dull tips	69040
DOPPEL- INJEKTOR- Blade		0.25	stainless	789
FIBERGLAS- Blade		0.25		709
		0.25	stainless	1709
		0.65		710
		0.25		711
		0.30		712
HOBEL- Blade		0.30		48
Horny skin planer blade		0.13	for use in industry	772
Industrial cutter blade		0.10	with 6 notches, stainless	180

All dimensions are approximate data!

* Material Thickness




Industrial Cutter Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Industrial cutter blade, Gillette-slotted		0.10		35010
		0.20		35020
		0.30		35030
Industrial cutter blade, Gillette-slotted		0.10	stainless, Teflon® -coated, with platinumized cutter edges	13510
		0.15	stainless, TiN-coated	83515
Industrial cutter blade with round ends		0.10		36010
		0.13		36013
		0.15		36015
		0.20		36020
		0.30		36030
		0.10	stainless	13610
		0.15	stainless	13615
		0.30	stainless	13630
		0.15	stainless, TiN-coated	83615
		0.30	stainless, TiN-coated	83630
		0.40	alloyed carbon steel, deep-edged	36040 (36BR)
Industrial cutter blade with square ends		0.10		37010
		0.20		37020
		0.30		37030
		0.30	stainless	13730
		0.15	stainless, TiN-coated	83715
		0.30	stainless, TiN-coated	83730
		0.40	alloyed carbon steel, deep-edged	37040 (37BR)

All dimensions are approximate data!

* Material Thickness

Industrial Cutter Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Industrial cutter blade with square ends		0.10	short	68010
		0.20	short	68020
INJEKTOR- Blade		0.25		89
		0.25	stainless	189
		0.25	stainless, TiN-coated	889
		0.25	stainless	689
KÜRSCHNER- Blade		0.20	diagonally-split, for furrier's knife	67
Y-Blade		0.30	for textile fabrics	81



All dimensions are approximate data!



* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
GLASHOBEL- Blade	 22 44	0.20	rust and acid resistant	64044
	 22 60	0.20	rust and acid resistant	64060
	 22 80	0.20	rust and acid resistant	64080
	 22 100	0.20	rust and acid resistant	64100
	 22 120	0.20	rust and acid resistant	64120
	 22 150	0.20	rust and acid resistant	64150
	 22 120	0.15	stainless	16412

All dimensions are approximate data!




* Material Thickness

Scalpel Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Scalpel blade, small	 39 7.6	0.40		1031 (10a SC)
	 41 7.1	0.40		10 (10 SC)
	 40 6	0.40		11 (11 SC)
	 37 9.5	0.40		12 (12 SC)
	 42 6.5	0.40		13 (13 SC)
	 48 7.5	0.40		14 (14 SC)
	 38 6.2	0.40		15 (15 SC)
	 37 9.5	0.40		16 (16 SC)
	 37 6.2	0.40		17 (17 SC)
Scalpel blade, large	 52 8.75	0.40	stainless	18 (18 SC)
	 51 9.3	0.40		19 (19 SC)
	 45 9	0.40	stainless	20
	 52 9.45	0.40		21

All dimensions are approximate data!

* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Scalpel blade, large		0.40		22
		0.40		23
		0.40		24
		0.40		25
		0.40	stainless	125
		0.40		36 (36 SC)
		0.40		1025 (25 L)



All dimensions are approximate data!





* Material Thickness


Blades for Polystyrene

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Profi40- Blade		0.50		7940
		0.50	stainless	17940
SCHAUMEX- Blade		0.30		87
STYROPOR- Blade 9 mm		0.40		86
STYROPOR- Blade 18 mm		0.50		79
		0.50	stainless	179
		0.50		779

Snap-Off Blades

CUTTER- Blade 9 mm		0.40		76
		0.40		776
CUTTER- Blade 18 mm		0.50		77
TECHNICUT- Blade 6 mm		0.40		71

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
GRAFIX- Blade		0.93	single bevel edged-ground on the left side 	670
		0.80	single bevel edged-ground on the right side 	671
		0.80	double bevel edge-ground	672
GRAFIX- Needle				673
GRAFIX- Blade		0.50		677
		0.50		678
		0.50		679
		0.50		680
		0.50	single bevel edged-ground 	681
		0.50		682
GRAFIX blade set		0.50	made up of one each No. 670-673 + 677-682	683

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
BOY- Blade		0.50		72
		0.50		73
BOY saw blade		0.25		616
CUTTOFIX- Blade		0.50		33
ELEKTRONIK- Blade		0.40		43



All dimensions are approximate data!





* Material Thickness

Mini-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
MINI- Blade		0.63	for seperating cuts	27
		0.63	single bevel edged-ground 	2733 (27E)
		0.63	alloyed carbon steel, TiN-coated	827
		0.63	for delicate cutting work	28
		0.65	for general cutting work	29
		0.63	with double-sided cutting edge	30
		0.63		31
MINI- blade set		0.63	made up of one each No. 27, 28, 29, 30	26

All dimensions are approximate data!

* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Keyhole-Saw	 62 8.6	0.50		615
RONDEX drawcut blade	 26 6.95			697
	 32 11.85			698
	 33 12.85			699
RONDEX- MASSIV-Blade	 46 12.7	0.63	single bevel edged-ground, 	618
	 39 11.5	0.63	to cut small wood shavings	619
	 46 10.5	0.65	for continuous cuts	622
	 47 10.5	0.65	for exact cuts and wood carving work in narrow spaces	623
	 38 11.5	0.63	for acute-angled cuts	624
	 47 10.5	0.65	for complicated cutting work	625
	 78 11	0.63	extra-long edge	626
	 47 11.5	0.63	to cut thick wood shavings	628

All dimensions are approximate data!












* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
SOLO- Blade		0.63		635
		0.63		636
		0.63		637
		0.63		638
		0.63		639
		0.63		640
		0.63		641
		0.63		642

All dimensions are approximate data!

* Material Thickness

Deburring-Blades


Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
CERAMIC- Blade		1.70	Ceramic, semi-curved blade	170
		1.70	Ceramic, concave-edged blade	171
CURVEX- Deburring Blade		Ø 2.5		791
		Ø 2.5	for right- and lefthanders	795
		Ø 2.5		796
		Ø 3.2	large, extra-fine	756
		Ø 3.2	large	797
		Ø 3.2	large	798
		Ø 3.2	large	799
FORTEX- Blade		0.80		601
		0.80		602
		0.80		604
		0.80	with dull tip	6604

All dimensions are approximate data!

* Material Thickness




Deburring-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
PELLEX- Deburring Blade			stainless	674
SIMPEL- Blade		0.50		34
		0.50	alloyed carbon steel, TiN-coated	834
		0.50	with dull tip	629
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8629
SIMPLEX- Blade		0.50		605
		0.50	alloyed carbon steel, TiN-coated	8605
		0.50	with dull tip	606
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8606
TRIMMEX- Blade		1.00	long version	83
		1.00	short version for righthanders	84
		1.00	short version for righthanders, deep-edged	8432
		1.00	short version for lefthanders	284



All dimensions are approximate data!

* Material Thickness


Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Saw blade set		0.90	for wood and metal	90
SICURI- Blade		0.80		101
SICURI- Blade		0.80		102
SICURI- Blade		0.80		103
		0.80	stainless	1103 (3R)
SICURI- Blade		0.80		104
SICURI- Blade		0.80	straight	105
SICURI- Blade		0.80	straight	106
SICURI- Blade		0.80	serrated edge finish	107
SICURI- Blade		0.80	teeth-edged for use in veneering	108
SICURI- Deburring Blade		0.80		111
		0.80		112
		0.80		113

All dimensions are approximate data!









* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
SICURI- Deburring Blade		0.80		114
SICURI- Deburring Blade		0.80	straight	115
SICURI- Acryl-Blade		0.80	for Universal-, Spezial- and Flipcut	119

Acryl cutting blades

ACRYL- Blade		0.80	= SICURI-Blade for Universal-, Spezial- and Flipcut	119
DURO- Blade		0.50		62

Teeth-edged Blades








Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
EINNUT- Blade		1.60	single-slot, single edge serration	740
Teeth-edged blade		0.50	single edge serration	763
		0.50	single edge serration	767
		0.50	single edge serration	768
		0.50	single edge serration	769
		1.50	single edge serration	773
		1.50	single edge serration	774
		0.50	single edge serration	777

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
ROBUST- Blade		1.80		150
		1.80		151
		1.80		152
		1.80		153
		1.80	single bevel edge-ground 	154
		1.80		155
		1.80		156
		1.80		157
		1.80	single bevel edge-ground 	158
		1.80	single bevel edge-ground 	160
		1.80	single bevel edge-ground 	161
Sharpening Stone			"Belgian Rock", 90 x 20 x 8 mm	900

All dimensions are approximate data!

* Material Thickness



Special Purpose Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
CARTONAX- Blade		0.30		45
		0.30	stainless	145
DEKO- Blade		1.00		97
DISPLAY- Blade		0.45		46
EMBAL- textile fabrics blade		0.20		66
FRANKFURTER SKINNER- Blade		0.30	stainless	1703
GALLONEX- Blade		0.20	rostfrei	726
GRAFICUT- Blade		0.30		70
Hook blade		2.00	large	754
Industrial cutter blade		0.20	with triangular ground edge	692
KALANDER- Blade		0.90		80

All dimensions are approximate data!

* Material Thickness





Special Purpose Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
KANTEX- Blade		1.00	single bevel edge-ground 	95
KÜRSCHNER- Blade		0.30	rhomboid-shaped, for furrier's knife	794
Meat cutting blade		1.00	stainless, single bevel edge-ground 	702
MICRO saw blade		0.25	push-cut teeth	91
		0.25	pull-cut teeth	291
PICCOLO- Blade		0.63	triple-edged, double bevel edge finish, however 36° angle	746
		0.63	triple-edged, double bevel edge finish, however 45° angle	32
PICK- Blade		0.65		793
Plotter blade		1.00	carbide metal	736
Potato crisp cutting blade		0.40	stainless	704
Profi40- Blade		0.50		7940
		0.50	stainless	17940

All dimensions are approximate data!

* Material Thickness

Special Purpose Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
RASTER- Blade		0.63		784
		0.63	alloyed carbon steel, TiN-coated	8784
Ripper-hook		Ø 8.0	for MARTOR- Cut-O-Matic No. 438	753
SICUREX- Blade		0.45	single bevel edge-ground 	40
Special artwork blade		0.50		643
		0.50		684
Special purpose blade		0.40	for MARTOR-Sheeting cutter No. 335	693
Special purpose blade		0.63	made of three snap-off segments	770
Special purpose blade		0.40		771
SWIVEL- Blade		0.50	plastic-coated	675
TIP-TOP- Blade		0.50	plastic-coated	676
Trinangular blade		0.50	small	760
		0.80	large	761

All dimensions are approximate data!

* Material Thickness

Special Purpose Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
TUNGSTEN carbide scriber			carbide scriber + marking needle	38
Quick- Blade		0.50		39







All dimensions are approximate data!








* Material Thickness

Stainless Steel Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
ALLFIT trapezoid blade		0.63	stainless	610
		0.63	stainless, TiN-coated	852
ARGENTAX- Blade		0.25	stainless	144
AUTOSTROP- Blade		0.25	stainless, without edge protector	165
CARTONAX- Blade		0.30	stainless	145
DOPPEL- INJEKTOR- Blade		0.25	stainless	789
EFFILIER- Blade		0.25	stainless	149
FIBERGLAS- Blade		0.25	stainless	1709
FRANKFURTER SKINNER- Blade		0.30	stainless	1703
GALLONEX- Blade		0.20	stainless	726
GLASHOBEL- Blade		0.15	stainless	16412 (164)
Industrial cutter blade		0.10	with 6 notches, stainless	180



All dimensions are approximate data!

* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Industrial cutter blade, Gillette-slotted		0.10	stainless, Teflon® -coated, with platinumized cutter edges	13510
		0.15	stainless, TiN-coated	83515
Industrial cutter blade with round ends		0.10	stainless	13610
		0.15	stainless	13615
		0.30	stainless	13630
		0.15	stainless, TiN-coated	83615
		0.30	stainless, TiN-coated	83630
Industrieklinge, Gradkopf		0.30	stainless	13730
		0.15	stainless, TiN-coated	83715
		0.30	stainless, TiN-coated	83730
INJEKTOR- Blade		0.25	stainless	189
		0.25	stainless, TiN-coated	889
		0.25	stainless	689
MAXISAFE trapezoid blade		0.63	deep-edged, stainless	199
Meat cutting blade		1.00	stainless, single bevel edge-ground 	702
PELLEX- Deburring Blade			stainless	674
Potato crisp cutting blade		0.40	stainless	704
Profi40- Blade		0.50	rostfrei	17940

All dimensions are approximate data!

* Material Thickness

Blade designation	Dimension (mm)	Material* (mm)	Specification	Cat.- No.
Rotary Blade		0.30	stainless, single bevel edge-ground, 	716
		0.30	stainless, center hole dia 6 mm (designed for use in original MARTOR cutters only!)	727
Scalpel blade, large		0.40	stainless	18 (18 SC)
		0.40	stainless	20
		0.40	stainless	125
SCHABER- Blade		0.40	stainless	196
		0.50	stainless	696
SICURI- Blade		0.80	stainless	1103
Strip Steel		0.70	stainless, singel edged, single bevel edge-ground 	88740
		0.70	stainless, singel-edged, double bevel edge-ground	88741
STYROPOR- Blade 18 mm		0.50	stainless	179
TEXTIL- Blade		0.40	stainless	82
UNI- Blade		0.45	deep-edged, stainless	142

All dimensions are approximate data!

* Material Thickness

Strip Steel

These special dimensions are always available from stock. Already grinded Strip-Steel on coils. Lengths are subject to inquiry!

Minimum length: 20 mm. Minimum purchase quantity = 10 pcs.

Max. blade length

Alloyed carbon steel max. length 1500 mm.

Stainless steel max. length 600 mm.

Bezeichnung	Maße (mm)	Mat.* (mm)	Ausführung	Artikel-No.
Strip Steel	 min. 20 mm / max. 1500 mm	0.50	alloyed carbon steel, single-edge, double bevel edge-ground	88720
	 min. 20 mm / max. 1500 mm	0.50	alloyed carbon steel, single-edge, double bevel edge-ground	88721
		0.83	alloyed carbon steel, single-edge, double bevel edge-ground	88722
	 min. 20 mm / max. 1500 mm	0.25	alloyed carbon steel, single-edge, double bevel edge-ground	88723
		0.50	alloyed carbon steel, single-edge, double bevel edge-ground	88724
	 min. 20 mm / max. 1500 mm	1.00	alloyed carbon steel, single-edge, double bevel edge-ground	88725
	 min. 20 mm / max. 600 mm	0.70	stainless, single-edge, single bevel edge-ground	88740
		0.70	stainless, single-edge, single bevel edge-ground	88741

Blade – Knife cross reference

Blade-No.	Designation	Suitable for use with Knife No.
1 – 19	SICURI	10101 – 10500, 11101 – 11500, 94551
10 SC – 17 SC	Scalpell	20500, 20711 – 20713, 22111 – 23113, 69111, 69606, 87111, 87606
18 SC – 36 SC + 1025	Scalpell	20121 – 20125, 20600, 21121 – 21125, 40125, 40128
26	MINI-Klingensatz	26426, 27300, 30128, 40125, 40128, 75200
27 – 31 + 2733	MINI	26426, 27300, 30128, 40125, 40128, 75200
32	PICCOLO	32132, 75200
33	CUTTOFIX	31133, 31172, 33133, 69111, 69606, 87111, 87606
34	SIMPEL	488, 513, 514, 34134 – 37334, 42234, 69111, 69606, 87111, 87606
35 0.10 mm 0.20 mm 0.30 mm	Industrie Industrie Industrie	60135, 61135, 97635, 98035, 98135 – –
36 0.10 mm 0.13 + 0.15 mm 0.20 mm 0.30 mm	Industrie Industrie Industrie Industrie	– – 43136 –
36 BR 0.40 mm	Industrie	95641
37 0.10 mm 0.20 mm 0.30 mm	Industrie Industrie Industrie	– 591, 592, 43037, 45137, 47137 –
37 BR 0.40 mm	Industrie	435, 436, 437, 538, 539, 55037, 55137, 55337
38	TUNGSTEN	38138
39	QUICK	25639, 39139
40	SICUREX	40125, 40128, 40140
42	UNI	52642, 57542, 99642, 105142, 105242
43	ELEKTRONIK	31133, 31172, 69111, 69606, 87111, 87606
44 + 60044	ARGENTAX	464, 544, 44144, 46144, 54644, 58144, 94644
45	CARTONAX	445, 15045, 15145, 68145, 86145, 100145
46	DISPLAY	91146
47 0.20 mm	MARTELL	47137
47 BR 0.40 mm	MARTELL	–
48	HOBEL	48548, 49548
49	EFFILIER	–
50	ALLFIT-Trapez	–
51 + 5132	STANDARD-Trapez	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 16551, 94551
52, 5232, 5233 + 65232	ALLFIT-Trapez	01152 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 16551, 19152, 19156, 24152, 24156, 63152
53	WOLFRAM-Trapez	02101, 05255, 05551, 08152 – 11500, 13500, 16551, 94551
54 0.45 mm	TEKLI-Trapez	554, 555, 08152, 08156, 17000, 18354
54 0.63 mm	TEKLI-Trapez	13500, 19152, 19156
54 S	TEKLI-Supertapez	08152, 08156
55	STANDARD-Haken	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 16551, 94551
56 + 5634	ALLFIT-Haken	01152 – 05551, 06952 – 08156, 09255 – 09651, 10101, 16551, 19152, 19156, 24156, 51556, 63152, 64256, 64556
57	WOLFRAM-Haken	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 16551, 94551
58 0.50 mm	TEKLI-Haken	554, 555, 17000, 18354
58 0.63 mm	TEKLI-Haken	13500, 19152, 19156, 51556
58 S	TEKLI-Superhaken	08152, 08156
59	KOMBI	05255, 05551, 08152, 08156
60	LUNA	05255, 05551, 94551
61	Supertapez	334, 02101, 02103, 05255, 05551, 08152, 08156, 16551, 94551
62	DURO	05255, 05551, 94551
63	Superhaken	02101, 02103, 05255, 05551, 08152, 08156, 16551, 94551

Blade – Knife cross reference

Blade-No.	Designation	Suitable for use with Knife No.
64	44 mm	GLASHOBEL 350
	60 mm	GLASHOBEL 351
	80 mm	GLASHOBEL 352
	100 mm	GLASHOBEL 353
	120 mm	GLASHOBEL –
	150 mm	GLASHOBEL –
65	AUTOSTROP	–
66	EMBAL-Textil	–
67	KÜRSCHNER	360
68	Industrie	–
69	CELLO	–
70	GRAFICUT	70170, 72200 – 74300
71	TECHNICUT	71171, 72200 – 74300
72 + 73	BOY	31133, 31172, 33133, 69111, 69606, 87111, 87606
74	ZURI	–
76	CUTTER 9 mm	461, 476, 46100, 66176, 66186, 76176
77	CUTTER 18 mm	331, 332, 462, 477, 577, 46200, 46202, 67177 – 67194, 77177
78	FIX	578, 599, 5990, 59278, 74300, 78278
79	STYROPOR 18 mm	331, 332, 462, 477, 577, 46200, 46202, 50779, 67177 – 67194, 77177
80	KALANDER	–
81	Y-Spezial	594
82	TEXTIL	–
83, 84 + 8432	TRIMMEX	583
86	STYROPOR 9 mm	461, 476, 46100, 66176, 66186, 76176
87	SCHAUMEX	92687
88	KARTON	–
89	INJEKTOR	–
90	Sägensatz	10101 – 11500
91	MICRO-Sägeblatt (auf Druck)	28191
93	TAPEX-Kombi	93693
94	JUMBO-Haken	67177 – 67194
95	KANTEX	595
96	SCHABER	596, 5196
97	DEKO	597
98	MAXISAFE-Hakenklinge	101198
99	Maxisafe-Trapezklinge	101199
125	Scalpell	20121 – 20125, 20300, 20600, 21121 – 21125, 40125, 40128
135	0.10 mm Industrie	60135, 61135, 97635, 98035, 98135
136	0.10 mm Industrie	–
	0.15 mm Industrie	–
	0.30 mm Industrie	–
137	0.30 mm Industrie	539, 55037, 55137, 55337
142	UNI	105142, 105242
144	ARGENTAX	544, 44144, 46144, 58144
149	EFFILIER	–
150 – 161	ROBUST	06150 – 06161
164	GLASHOBEL	–
165	AUTOSTROP	–
180	Industrie	–
189	INJEKTOR	–
196	SCHABER	596, 5196
284	TRIMMEX	583
291	MICRO-Sägeblatt (auf Zug)	28191
601 – 604	FORTEX	507, 40125, 40128
605 + 606	SIMPLEX	511, 512, 36134, 69606, 69111, 87111, 87606
607	SOLO	–

Blade – Knife cross reference

Blade-No.	Designation	Suitable for use with Knife No.
608	STUDIO	504, 590
610	ALLFIT-Trapez, rostfrei	01152 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 16551, 19152, 19156, 24152, 24156, 56610, 63152
611	STRIPEX	373
612 + 614	TEPPIX	–
615	SCHLÜSSELLOCH-Säge	502, 40125, 40128
616	BOY-Sägeklinge	31133, 31172, 33133, 69111, 69606, 87111, 87606
618 – 625	RONDEX-MASSIV	502, 505, 506, 515 – 517, 5060, 40125, 40128
626	RONDEX-MASSIV	502, 505, 506, 515 – 517, 534, 5060
628	RONDEX-MASSIV	502, 505, 506, 515 – 517, 534, 5060, 40125, 40128
629	SIMPEL	513, 514, 34134 – 36134, 69111, 69606, 87111, 87606
635 – 638	SOLO	–
639 – 642	SOLO	40125, 40128
643	Grafik-Spezial	69111, 69606, 87111, 87606
670 – 673	GRAFIX	412, 501, 804 – 850
674	PELLEX	412, 501, 804 – 850, 32132
675	SWIVEL	508
676	TIP-TOP	490
677 – 683	GRAFIX	412, 501, 804 – 850, 69111, 69606, 87111, 87606
684	Grafik-Spezial	–
689	INJEKTOR	–
692	Industrie	–
693	Spezial	335
696	SCHABER	596, 5196
697 – 699	RONDEX-Zieh	505, 506, 515 – 517, 5060
702	FLEISCH	–
1703	FRANKFURTER-SKINNER	–
704 + 705	KARTOFFELCHIP	–
706 – 708	SAMT	–
709 – 712	FIBERGLAS	–
716	Rund	467
725	Rund	481, 482, 509, 599
726	GALLONEX	–
727	Rund	467, 599
728	Spezial	–
736	Plotter	–
740	EINNUT	–
741	Industrie	–
743	Bügel	–
746	PICCOLO	32132
752	Trapez	–
753 + 754	Cut-O-Matic	438
760	Dreiecks	481, 482
761	Dreiecks	–
763 – 769	Zahn	–
770 – 772	Spezial	–
773 + 774	Zahn	–
776	CUTTER 9 mm	460
777	Zahn	–
779	STYROPOR	–
784	RASTER	32132
789	DOPPEL-INJEKTOR	–
790	ACRYL	504, 590
791	CURVEX	510, 69791, 87791
792	CURVEX	510
793	PICK	–

Blade – Knife cross reference

Blade-No.	Designation	Suitable for use with Knife No.
794	KÜRSCHNER	–
795 + 796	CURVEX	510, 69791, 87791
797 – 799	CURVEX	510, 40797
827	MINI	–
835 – 837	Industrie	–
852	ALLFIT-Trapez	01152, 01156, 07105 – 07256
869	CELLO	–
878	FIX	–
889	INJEKTOR	–
1025	Scalpell	20121 – 20125, 20600, 21121 – 21125, 40125, 40128
1044	ARGENTAX	–
1703	FRANKFURTER SKINNER	–
1709	FIBERGLAS	–
2733	MINI	26426, 27300, 30128, 40125, 40128, 75200
5132	STANDARD-Trapez	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 16551, 94551
5232 + 5233	ALLFIT-Trapez	01152 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 16551, 19152, 19156, 24152, 24156, 63152
5634	ALLFIT-Haken	01152 – 05551, 06952 – 08156, 09255 – 09651, 10101, 16551, 19152, 19156, 24156, 51556, 63152, 64256, 64556
6132	Supertrapez	334, 02101, 02103, 05255, 05551, 08152, 08156, 16551, 94551
8432	TRIMMEX	583
60044	ARGENTAX	464, 544, 44144, 46144, 54644, 58144, 94644
61329	Supertrapez	203, 02102, 02104, 16551, 94551
65232	ALLFIT-Trapez	01152 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 16551, 19152, 19156, 24152, 24156, 63152



The Safer Cutting Specialists

MARTOR KG
42648 Solingen
Germany
Phone +49 212 25805-0
Fax +49 212 25805-55
info@martor.de
www.martor.com