



- Advanced infra-red touch technology
- 32 point touch
- Anti-Glare Glass
- Fanless design
- Integrated Speakers 2+1
- Automatic brightness adjustment
- Low energy consumption
- Slim design

e-Screen ETX-6500

- The ETX range displays offers razor sharp, high quality images in Full-HD and Ultra-HD
- The build-in Automatic Brightness Sensor guarantees an optimal picture under all light circumstances and significantly reduces energy consumption
- The anti-glare coated glass guarantees perfect readability and a comfortable touch experience
- The advanced infra-red touch screen technology uses infra-red sensors to detect the touch point. Any pointing device (finger, stylus, or any other pen-shaped object) can be used
- Multi-touch with up to 32 simultaneous touches for multi user requirements (Windows 7, 8, 8.1 and 10)
- Easy to set up, plug and play functionality for Windows
- The all metal housing with brushed aluminium front and rounded corners make the ETX screen the perfect solution for demanding environments such as schools
- Operate the screen even without connecting a PC. Legamaster ETX-series e-Screens have a build-in controller running Android 5.0 that allows for PC-less operation. You can run a wide variety of Android apps directly on the screen
- Easily operate and control the screen through the Touch On-Screen Display function. The most essential features can also be controlled with the control buttons on the left side of the screen
- A build-in router allows you to set up a wireless network around the screen, perfect for collaboration setups


Recommended accessories

- e-Cleaner Ref.:7-121600
- Ergonomic stylus Ref.:7-192100
- Tango software Ref.:7-197030-03
- Column system electrical height adjustable XL Ref.:7-194262

Ref.: **7-803100-65**

EAN: **8713797083683**





Connections Table

1	VGA OUT
2	PC IN 1/2/3
3	USB 2.0/3.0
4	HDMI 1/2 IN
5	Display Port IN
6	Wifi antenna
7	TOUCH 1/2 OUT
8	RS232
9	WAN IN
10	LAN OUT
11	AV IN
12	S/PDIF digital audio OUT
13	Headphones

Product specifications

colour	Black
Product dimensions	W: 1527 x H: 903 x D: 113.7 (mm)
Bezel size	38 mm
Viewing angle max	H: 178° / V: 178°
Size diagonal	65"
Brightness	350 cd/m ²
Contrast ratio	4000:1
Response time	8ms
Supported colours	1073,3M
Display resolution / frame rate	1920x1080 / 60 Hz
Input resolution / frame rate	1920x1080 / 60 Hz
Ops slot	Y (+ adapter)
Fanless design	Yes
Display control	RS232C, IR remote controller, keypad
Automatic brightness adjustment	Yes
Speaker	2x15W
Mounting interface accessories	VESA 100x100
Power consumption / Stand by	≤260 / ≤0,5 (Watt)
Durability / Lifespan	16/7 / 30k
Input connectors	DisplayPort 1.2 (≤3840x2160@30Hz),HDMI 2.0,HDMI 2.0,VGA + audio in,VGA + audio in,VGA + audio in,CVBS + audio in
Output connectors	Audio Out,VGA,VGA
Touch technology	Advanced Infrared Touch Technology
Touch operation	finger, glove, stylus
Number of touch points	32
Driver	Win: plug and play (optional driver) / Mac: driver
Sup. operating systems	Windows XP, Vista, 7, 8, 8.1, 10,Mac OSX,Android
Product warranty	5 years

Product logistics

Product SAP / EAN / KEA	867721000 / 8713797083683 / 7-803100-65
Packing Unit	Piece
Quantity	

Packing dimensions	W: 230 x H: 1620 x D: 1035 ()
Weight net	54.00 kg